



CRESTWOOD



CRESTWOOD - 902



CRESTWOOD - 904



CRESTWOOD - 702



CRESTWOOD - 903




CRESTWOOD - 907



CRESTWOOD - 905




CRESTWOOD - 704



CRESTWOOD - 910




CRESTWOOD - 912



CRESTWOOD - 908



CRESTWOOD - 909



CRESTWOOD - 916



CRESTWOOD - 917



CRESTWOOD - 911



CRESTWOOD - 913



CRESTWOOD - 914




CRESTWOOD - 915



CRESTWOOD - 703




CRESTWOOD - 906



CRESTWOOD - 901




CRESTWOOD - 701




CRESTWOOD - 706




CRESTWOOD - 946



CRESTWOOD - 945




CRESTWOOD - 707



CRESTWOOD - 947




CRESTWOOD - 948



CRESTWOOD - 944



CRESTWOOD - 705




CRESTWOOD - 949



CRESTWOOD - 927



CRESTWOOD - 928



CRESTWOOD - 929



CRESTWOOD - 930



CRESTWOOD - 926



CRESTWOOD - 925



CRESTWOOD - 924



CRESTWOOD - 922



CRESTWOOD - 923



CRESTWOOD - 921



CRESTWOOD - 920



CRESTWOOD - 943



CRESTWOOD - 919



CRESTWOOD - 918



CRESTWOOD - 937




CRESTWOOD - 938



CRESTWOOD - 941



CRESTWOOD - 939



CRESTWOOD - 942



CRESTWOOD - 940



CRESTWOOD - 931



CRESTWOOD - 932



CRESTWOOD - 933




CRESTWOOD - 934



CRESTWOOD - 936



CRESTWOOD - 935



CRESTWOODL - 909

CRESTWOOD

Design	Width (In Cms)	Weight	Composition	Martin - Dale (Dry)	Martin - Dale (Wet)	Parten Repeat (If any)
CRESTWOOD	137 ±2	615 GSM	PU-1%, PVC-79% FABRIC - 20%	25600 Cycles	6400 Cycles	N/A

1. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.
2. Test results were gathered from various samples and therefore represent average indicative values.
3. Discolouration caused by clothing fabrics such as jenas does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims .

PU/PVC FABRIC CARE INSTRUCTIONS :

1. Vacuum and dust regularly.

2. Do not place heater close to PU/PVC fabric (No closer than 50 cm).

3. Protect from direct sunlight.

4. Wipe over contact areas regularly with clean soft cloth.

5. Avoid hard rubbing and scrubbing.

6. Treat all liquid and food spills immediately.

7. Clean contact areas of perspiration and body oils regularly.

8. Keep pets and sharp object away from PU/PVC fabric Fur is particularly cause permanent discoloration
Claws Belt Buckles, Heels, Key, Knives or pull causing permanent PU/PVC fabric damage.

Washing Instructions



MADE IN INDIA

Color may vary from batch to batch

Complimentary Sample File Not For Sale

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.

